
## **GENERAL NOTES:**

- 1. ALL WORK IN PUBLIC RIGHT-OF-WAY SHALL BE CONSTRUCTED BY A LICENSED CONTRACTOR AND REQUIRES A PERMIT AND APPROVAL BY THE CITY.
- 2. PAVEMENT SECTION IN ACCORDANCE WITH STANDARD DRAWING OR APPROVED PAVEMENT DESIGN PER PS-01.

## **KEYED NOTES:**

- 1 8" CURB & GUTTER. SEE DWG. CG-01.
- 2 4" THICK CONCRETE SIDEWALK. SEE DWG. DW-01.
- 3 MEDIAN CURB & GUTTER, SEE DWG CG-01.
- WHERE ROW/PROP. WALL EXISTS OR IS PLANNED, SIDEWALK SHALL BE SETBACK A MINIMUM OF 1' FROM THE FACE OF WALL. AN APPROVED WEED FREE SURFACE SHALL BE PROVIDED WITHIN THE 1' SETBACK AREA. ACCEPTABLE WEED FREE SURFACES INCLUDE:
  - a. 4" THICK CONCRETE (WIDENED SIDEWALK)
  - GROUTED CONC., BRICK, OR STONE PAVERS (TYPE TO BE APPROVED BY THE CITY)
  - 4" THICK COMPACTED CRUSHER FINES WITH WEED BARRIER FABRIC. COMPACTED WITH HAND ROLLER.
- 5 BUFFER. SEE DWG BF-01
- CONTINUOUS TWO—WAY LEFT TURN LANE MAY BE SUBSTITUTED WITH APPROVAL BY THE CITY.
- 7 1.5% RECOMMENDED, 2% MAXIMUM SLOPE



TYPICAL STREET SECTION - COLLECTOR STREET

DATE MODIFIED:

MAY 4, 2015



City of Rio Rancho Department of Public Works

TYPICAL STREET SECTION COLLECTOR STREET

DWG. NO. TS-02

SEPT 23, 2008